

HQ-TC-95-HT Twin Cam 95 Heavy Touring 9.5:1 compression ratio

Cross off items not required

HEAD WORK

- 1) HQK-L-TC/EV-S3 (all cylinder head labor, porting, radiused valve job, chamber blend & decking)
- 1) HQK-P-TC/EV-S3 (all new parts in cylinder heads, valves, guides, seals, spring assemblies)
- 1) HQ-7000-E glassbead carbon out of heads
- 1) HQ-7008-B Machine 2 decompression holes
- 1) HQ-3600 Decompression valves (2) AKA compression releases
- 2) HQ-4527 Gaskets, head, .027" thick MLS type
- 1) HQ-HEAD-BOARD Fin Protector (heads bolted to this for shipping)

CYLINDER WORK

- 1) HQ-7100-I Bore stock (3.750") TC cylinders to 3.875"
- 1) HQ-7102-C Glassbead carbon off tops of cylinders
- 1) HQ-CYL-BOARD Fin Protector (cylinders bolted to this for shipping)
- 1) CP-M5017 Pistons, flat topped forged

RECOMMENDED PARTS

- 1) HQ-4055 Pushrods, adjustable EZ install type
- 1) HQ-4075 Covers, used with EZ install pushrods for more adjustment room
- 4) HQ-4225 Hydraulic lifters, Black Ops type
- 1) 17033-99 James rocker cover gasket and seal set

Optional Parts (not required)

1) HQ-32679 Show off your build with a Head Quarters timing cover

1) HQ-4600 Roller Rockers

Cam Choices as per drive type and appropriate year

1) HQ-0039 Cam, chain drive 1999-06 models (except 2006 Dyna)

1) HQ-0039-G Cam, gear drive 1999-06 models (except 2006 Dyna)

1) AP-288901 Kit, gear drive install

1) AP-288908 Kit, gear drive, 1999-06 (except '06 Dyna)

Additional parts for carburetor equipped models

1) HQ-7025-A Port, intake manifold (send us your manifold)

1) HQ-2525 Jet Kit, for CV40 includes jets and needle

1) HQ-6100 Ignition, preprogrammed for 1999-03 models

1) HQ-6104 Ignition, preprogrammed for 2004 & later

Additional parts for EFI models

1) HQ-6500 Pro Tuner, 2002-early '05 models and '01 Softails

1) HQ-6505 Pro Tuner, 2005 -06 Softail, FLT & FLH and late '05 Dyna

1) HQ-6515 Pro Tuner, 2006 - '08 all models except '08 FLs (fly by wire)

1) HQ-6520 Pro Tuner, 2008 FL models (fly by wire)

Name _____

Day time phone# _____

Email or FAX _____

Year and Model _____

Do you want us to supply cores for the job? _____

Head & Cylinder Core color required (black or silver) _____